

Development Activities Meeting Report (Version: 4/18/2019)

This report created by the Neighborhood Planner and included with staff reports to City Boards and/or Commissions.

Logistics	Stakeholders
Project Name/Address: Mazerowski Field: Electrical Box & Utility Grates	Groups Represented (e.g., specific organizations, residents, employees, etc. where this is evident): Residents, OPDC, OBID, OTMA, Department of City Planning, University of Pittsburgh, Bottega Design
Meeting Location: City Zoom	
Date: 10/14/22	
Meeting Start Time: 05:30 PM	
Applicant: Charles Alcorn	Approx. Number of Attendees: approx. 4

How did the meeting inform the community about the development project?

Ex: Community engagement to-date, location and history of the site, demolition needs, building footprint and overall square footage, uses and activities (particularly on the ground floor), transportation needs and parking proposed, building materials, design, and other aesthetic elements of the project, community uses, amenities and programs.

Charles Alcorn presented details on the history of Mazerowski Field, the location, intended improvements to the electrical box and utility grates, and impetus for the project improvements, project goals, project renderings, and timeline.

Registered Community Organizations were not prior to this meeting.

Input and Response

Questions and Comments from Attendees	Responses from Applicants
The water cistern location, has that changed? Is it under a public asset or without a Development Activities Meeting? In the future can you inform the community/ Registered Community Organizations with a public statement? When is the installation of the cistern going to happen, or has it?	It has not. I believe it is Duquense Light; we do not know the extent of their work or time frame.
Is this project related or incorporated In Four Mile Run Sewer shed PWSA's four Mile run's CONCENT DECREE.	We presented our plans to them and hope they are included in the four mile run Plan. I have not been in conversation myself, I'm sure it would help. Any rainwater collection from campus would surely help. I will have some conversation with them, and let you know. Late this year, early next year construction is expected to take place
So, this field is expected to be offline next year?	I will get the exact dates and get back to you.

Other Notes adhere to



Planner completing report: Sharonda Whatley, Assistant Director and Ose Akinlotan, Planning Manager